CERTIFICATE OF ENGINEER

The technical material and data contained in this report were prepared under the supervision and direction of the undersigned, whose seal, as professional engineer licensed to practice as such, is affixed below.

Richard A. Gushman, P.E.
Gibbs & Olson, Inc.
Project Engineer

TABLE OF CONTENTS

Page No.

SECTION I – SUMMARY AND RECOMMENDATIONS

Summary I-1
General Sewer Plan I-2
Facility Plan-WWTP Improvements I-7
Schedule I-10

SECTION II – PURPOSE AND APPROACH

Project Purpose II-1
Approach II-1

SECTION III – EFFLUENT LIMITATIONS AND OTHER WATER QUALITY MANAGEMENT GOALS

Water Quality Classification III-1
Technology-Based Effluent Limitations III-1
Water Quality-Based Limitations III-3
Mixing Zones and Critical Conditions III-3
Dilution Model III-12
Estimating the Chronic Mixing Zone Size III-13
Estimating the Acute Mixing Zone Size III-14
Reasonable Potential to Exceed Water Quality Criteria III-15
Class A Water Quality Standards III-18
Conclusions III-18

SECTION IV – CONDITIONS IN THE PLANNING AREA

Introduction IV-1
Past Planning Efforts IV-1
Sewer Service Area IV-5
Economy IV-5
Land-Use IV-8
Other Services IV-8
Physical Conditions IV-10
- Topography IV-10
- Soils IV-10
- Climate IV-12
- Air Quality IV-12
- Surface Waters IV-13
- Flood Plains IV-13
- Wetlands & Shorelines IV-14
- Groundwater IV-14
- Fish and Wildlife, Threatened and Endangered Species IV-16
- Historical Resources IV-17
- Adjacent Wastewater Facilities IV-17

TABLE OF CONTENTS
(Continued)

Page No.

Existing Water System IV-18
Description of Existing Sewer Collection System IV-19
Description of Existing Wastewater Treatment System IV-21
Existing Plant Conditions IV-23
WWTP Performance Summary IV-45
Biosolids (Sludge) Treatment and Disposal IV-45
Sewer System Operation and Maintenance Costs IV-47
Sewer Use Code and Service Area Policies IV-48

SECTION V – EXISTING AND FUTURE WASTELOADS

Population Projections V-1
Flow V-5
Existing Flows V-6
Existing Infiltration and Inflow (I/I) V-6
Future Flows V-7
Commercial/Industrial Sewer Users V-8
Biochemical Oxygen Demand (BOD) Loading V-10
Total Suspended Solids (TSS) Load V-11
Ammonia (NH_3) Load V-12
Summary V-13

SECTION VI – WASTEWATER COLLECTION SYSTEM, EXTENSIONS & IMPROVEMENTS, AND COST ESTIMATES

Existing Sewer Collection System Interceptors VI-1
Sewer Extension Cost Estimates VI-4
Discussion of Proposed Sewer Extensions VI-4
Pump Station Improvements VI-6
Infiltration/Inflow (I/I) Reduction Program VI-10

SECTION VII – WASTEWATER TREATMENT SYSTEM AND SOLIDS HANDLING ALTERNATIVES

Introduction VII-1
Overview of Existing WWTP VII-3
Treatment Plant Improvement Alternatives VII-21
Aerobic Digestion VII-31
Autothermal Thermophilic Aerobic Digestion (ATAD) VII-32
Anaerobic Digestion VII-34
Composting VII-35
Lime Stabilization VII-36
Gravity Thickening VII-38
Gravity Belt Thickening VII-39

TABLE OF CONTENTS
(Continued)

Page No.

Rotary Drum Thickening VII-40
Centrifugal Thickening VII-40
Evaluation of Treatment Alternatives VII-42
Present Worth Cost Comparison of WWTP Alternatives VII-72

SECTION VIII – PREFERRED ALTERNATIVE
WWTP Improvements VIII-1
Process Schematic and Hydraulic Profile VIII-2
Recommended WWTP Improvements VIII-2
WWTP Plant Staffing VIII-9
WWTP Sampling and Testing Requirements VIII-10

SECTION IX – FINANCIAL CONSIDERATIONS
Introduction IX-1
Department of Ecology (DOE) IX-1
Public Works Trust Fund (PWTF) IX-3
Clark County Community Development Block Grant (CDBG) IX-5
Rural Utility Services (RUS) IX-5
U.S. Department of Agriculture, Forest Service (FS) IX-6
Revenue Bonds IX-7
Other Possible Sources IX-7
Sewer Rates IX-7
Funding Option No. 1 ..... IX-8
Funding Option No. 2 ..... IX-13

SECTION X – IMPLEMENTATION
Summary X-1

APPENDICES
Appendix A – City of Woodland WWTP NPDES Permit No. WA-002040-1
Appendix B – Water Quality/Mixing Zone Analysis Worksheets
Appendix C – USGS Letter to Update 7Q10 for Lewis River at Ariel Station No. 14220500
Appendix D – Letter to the State Archaeology Office
Appendix E – Sewer Inventory
Appendix F – Capacity of Existing WWTP Treatment Units
Appendix G – Sewer Rates and Use Policies
Appendix H – Collection System Improvement Cost Estimates
Appendix I – Cost Estimates and Funding Evaluations for WWTP Upgrade Alternatives
Appendix J – SEPA and SERP Applications
Appendix K – GSP/FP Correspondence with DOE

LIST OF FIGURES

Figure No.		Page No.
I-1	Schedule for Implementing Recommendations	I-11
III-1	Lewis River Cross Section at WWTP Outfall	III-6
III-2	Lewis River Cross Section 100 feet Downstream of WWTP Outfall	III-7
III-3	Lewis River Cross Section 200 feet Downstream of WWTP Outfall	III-8
III-4	Lewis River Cross Section 300 feet Downstream of WWTP Outfall	III-9
III-5a & b	Lewis River Elevations Plan & Profile	III-10
IV-1	Vicinity Map	IV-2
IV-2	Sewer Service Area Planning Boundary	IV-6
IV-3	Existing Land Use	IV-9
IV-4	Topographic Map	IV-11
IV-5	Wetland Areas	IV-15
IV-6	Water Distribution System	Map Pocket
IV-7A	Sewer System Inventory Map	Map Pocket
IV-7B	Sewer System Inventory Map	Map Pocket
IV-8 & 9	Plant Flow Schematic & Hydraulic Profile	IV-22
IV-10	WWTP Flow (MGD) vs. Time	IV-28
IV-11	Influent BOD Concentration (mg/L) vs. Time	IV-29
IV-12	Influent BOD Loading (lbs/day) vs. Time	IV-31
IV-13	Influent TSS Concentration (mg/L) vs. Time	IV-32
IV-14	Influent TSS Loading (lbs/day) vs. Time	IV-34
IV-15	Effluent BOD Concentration (mg/L) vs. Time	IV-35
IV-16	Effluent BOD Discharged (lbs/day) vs. Time	IV-36
IV-17	BOD Removal Efficiency (%) vs. Time	IV-37
IV-18	Effluent TSS Concentration (mg/L) vs. Time	IV-38
IV-19	Effluent TSS Discharged (lbs/day) vs. Time	IV-40
IV-20	TSS Removal Efficiency (%) vs. Time	IV-41
IV-21	Effluent pH vs. Time	IV-42
IV-22	Effluent Chlorine Residual Concentration (mg/L) vs. Time	IV-43
IV-23	Effluent Fecal Coliform Concentration (#100 mL) vs. Time	IV-44
V-1	Historical Population Growth, and Population Forecasts for the City of Woodland	V-4
VI-1	Existing Sewer Collection System Interceptors	VI-2
VI-2	Sewer Collection System Improvements	VI-5
VI-3	Pump Station and Force Main Flow Schematic	VI-7
VI-4	Proposed Improvements at Pump Stations 3 & 4	VI-9

LIST OF FIGURES

Figure No.		Page No.
VII-1	Existing WWTP	VII-2
VII-2	Future WWTP Site Alternatives	VII-45
VII-3	Existing WWTP Site Grading Improvements	VII-48
VIII-1	Proposed WWTP Improvements	VIII-3
VIII-2	Proposed WWTP Upgrade Hydraulic Profile	VIII-4

LIST OF TABLES

Table No.		Page No.
I-1	Existing and Future Wasteloads	I-5
I-2	Estimated Capital and Present Worth of Woodland WWTP Upgrade Alternatives	I-7
I-3	Estimated SBR Construction Costs - Phase I	I-8
I-4	Two Potential Funding Options for the Woodland SBR Alternatives	1-9
I-5	Potential Order of Magnitude Impact on Woodland Sewer Rates	I-10
III-1	Lewis River and WWTP Critical Conditions Evaluation Data	III-11
III-2	Water Quality Criteria and Reasonable Potential to Exceed in Lewis River for Selected Parameters	III-16
IV-1	Industrial Economic Investments in Woodland as of August 1998	IV-7
IV-2	Land-Use Areas from the City of Woodland Comprehensive Plan, Land-Use Classifications Map	IV-8
IV-3	Sewer Collection System Inventory Summary	IV-19
IV-4	Approximate Pump Station and Force Main Summary	IV-20
IV-5	WWTP Influent Data Summary	IV-24
IV-6	WWTP Effluent Data Summary (Sheet 1)	IV-25
	WWTP Effluent Data Summary (Sheet 2)	IV-26
IV-7	Summary of WWTP Performance Regarding NPDES Permit Compliance	IV-45
IV-8	Biosolids Data Summary Wasted from Digester	IV-46
IV-9	1998 Sewer Operation & Maintenance Budget	IV-47
V-1	Historical Population and Annual Growth Rates	V-1
V-2	Projected (Year 2023) Build-Out Densities, % Build-Out with a Population of 12,089	V-5
V-3	WWTP Flow Summary from July 1996 through June 1998	V-6
V-4	Future Projected Flows for the WWTP in the Year 2023 with a Projected Population of 12,089	V-7
V-5	Water Contributions from 1995-1997	V-8
V-6	Comparison of the NPDES Permit Criteria for the WWTP with Existing WWTP Conditions and Future (Year 2009 and Year 2023) WWTP Wasteflows and Wasteloads	V-13
VI-1	Sewer Collection System Basin	VI-1
VI-2	Cost Estimates for Proposed Sewer Line Extensions	VI-4
VI-3	Pump Station Capacity and Existing/Future Pump Station Capacities	VI-6
VI-4	Cost Estimates for New Pumps and Pump Station Upgrades	VI-10

LIST OF TABLES (Continued)

Table No.		Page No.
VII-1	Range of Accepted Loading Rates for Aerated SBC/RBC Process Units	VII-6
VII-2	1981 Revised Average Design Flow for Woodland WWTP Based on 1978 DOE Loading Rates for RBC's	VII-7
VII-3	Maximum BOD_5 Loading for Woodland WWTP SBC/RBC Units	VII-9
VII-4	Original and Revised Estimates of WWTP Loading	VII-9
VII-5	Woodland Dry Weather Actual Raw Wastewater Total and Soluble BOD_5 Loading	VII-11
VII-6	Dry Weather Actual Primary Clarifier Effluent Total BOD_5	VII-11
VII-7	Range of Actual Dry Weather Total and Soluble BOD_5 Loading to SBC/RBC Units	VII-12
VII-8	Woodland Wet Weather Predicted Raw Wastewater Total and SolubleBOD_5 Loading	VII-13
VII-9	Woodland Wet Weather Predicted Primary Clarifier Effluent Total BOD_5 Loadings	VII-14
VII-10	Range of Estimated Wet Weather Total and Soluble BOD_5 Loading to SBC/RBC Units Operated in Series	VII-15
VII-11	Range of Estimated Wet Weather Total and Soluble BOD_5 Loading to SBC/RBC Units if Operated in Parallel	VII-16
VII-12	Woodland WWTP Solids Data from July 1997 through June 1998	VII-20
VII-13	Advantages and Disadvantages of Mesophilic Aerobic Digestion	VII-32
VII-14	Advantages and Disadvantages of ATAD Systems	VII-33
VII-15	Advantages and Disadvantages of Anaerobic Digestion	VII-35
VII-16	Advantages and Disadvantages of Composting	VII-36
VII-17	Advantages and Disadvantages of Lime Stabilization	VII-37
VII-18	Advantages and Disadvantages of Gravity Thickening	VII-38
VII-19	Advantages and Disadvantages of Gravity Belt Thickeners	VII-39
VII-20	Advantages and Disadvantages of Rotary Drum Thickening	VII-40
VII-21	Advantages and Disadvantages of Centrifugal Thickening	VII-41
VII-22	Summary of Ultimate WWTP Design Criteria (Phase II)	VII-42
VII-23	Summary of Phase I WWTP Design Criteria	VII-43
VII-24	Design Capacity of Existing & New SBC Units Operated in Parallel	VII-51
VII-25	Design Criteria for Proposed SBR WWTP	VII-55
VII-26	Existing WWTP Effluent UV Transmissivity and Particle Size Data	VII-58
VII-27	Woodland WWTP Treated Effluent Reuse Alternative Design Summary	VII-62
VII-28	Anaerobic Digester Design Criteria	VII-67
VII-29	Aerobic Digester Design Criteria	VII-71
VII-30	Estimated Present Worth of Woodland WWTP Upgrade Alternatives	VII-73

LIST OF TABLES (Continued)

Table No. **Page No.**

VIII-1 Design Criteria for Proposed SBR WWTP VIII-6
VIII-2 Aerobic Digester Design Criteria VIII-7
VIII-3 Recommended Minimum Laboratory Equipment, Furniture & Accessories VIII-8
VIII-4 Estimated WWTP Staffing Requirements VIII-10
VIII-5 Recommended Minimum Liquid Process Sampling and Testing Program..... VIII-11
VIII-6 Recommended Minimum Sludge Processing Sampling and Testing Program. VIII-12

IX-1 Funding Option Number 1 Without Grant Funding Based on the Sequencing Batch Reactor (SBR) Alternative IX-9
IX-2 Funding Option Number 1 Projected Sewer Service Cost IX-10
IX-3 Funding Option Number 1 Without Grant Funding Projected Sewer Service Revenue IX-12
IX-4 Funding Option Number 2 With Grant Funding Based on the Sequencing Batch Reactor (SBR) Alternative IX-14
IX-5 Funding Option Number 2 Projected Sewer Service Cost IX-15
IX-6 Funding Option Number 2 With Grant Funding Projected Sewer Service Revenue IX-17