



April 21, 2023

Service Request No:K2304322

Kathryn Myklebust  
Woodland, City of  
P.O. Box 9  
Woodland, WA 98674

**Laboratory Results for: HSL Testing**

Dear Kathryn,

Enclosed are the results of the sample(s) submitted to our laboratory April 13, 2023  
For your reference, these analyses have been assigned our service request number **K2304322**.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at [www.alsglobal.com](http://www.alsglobal.com). All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3260. You may also contact me via email at [Luke.Rahn@alsglobal.com](mailto:Luke.Rahn@alsglobal.com).

Respectfully submitted,

**ALS Group USA, Corp. dba ALS Environmental**

for Luke Rahn  
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626  
PHONE +1 360 577 7222 | FAX +1 360 636 1068  
ALS Group USA, Corp.  
dba ALS Environmental



# Narrative Documents

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



**Client:** Woodland, City of  
**Project:** HSL Testing  
**Sample Matrix:** Water

**Service Request:** K2304322  
**Date Received:** 04/13/2023

**CASE NARRATIVE**

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier I level requested by the client.

**Sample Receipt:**

Two water samples were received for analysis at ALS Environmental on 04/13/2023. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

**General Chemistry:**

No significant anomalies were noted with this analysis.

Approved by  Noel D. Davis

Date  04/21/2023



## Sample Receipt Information

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

**Client:** Woodland, City of  
**Project:** HSL Testing/Horseshoe Lake

**Service Request:**K2304322

**SAMPLE CROSS-REFERENCE**

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
K2304322-001	Bouy 3 Mid Point	4/13/2023	1025
K2304322-002	Bouy 2 Beach	4/13/2023	1035



CHAIN OF CUSTODY

129734

001

SR# \_\_\_\_\_  
 COC Set \_\_\_\_\_ of \_\_\_\_\_  
 COC# \_\_\_\_\_

1317 South 13th Ave, Kelso, WA 98626 Phone (360) 577-7222 / 800-695-7222 / FAX (360) 636-1068  
 www.alsglobal.com

42304322

Project Name <i>Lead Testing</i>		Project Number <i>Horseshoe Lake</i>		NUMBER OF CONTAINERS	8H	48H	28D						Remarks
Project Manager <i>Kathryn Myklebust</i>					SM 9223 B / Qntray EC C	SM 10200 H / Chlorophylla UF	385.3 / Phos T	1	2	3	4	5	
Company <i>City of Woodland</i>													
Address <i>PO Box 9 Woodland, WA 98674</i>													
Phone # <i>360 225-7999</i>		email <i>myklebustkaci.woodland.wa.us</i>											
Sampler Signature <i>Gary Oliver</i>		Sampler Printed Name <i>Gary Oliver</i>											
CLIENT SAMPLE ID	LABID	SAMPLING Date	SAMPLING Time	Matrix									
1. <i>Bay 3 Mid Pond</i>	<i>Bay 3</i>	<i>4/13/23</i>	<i>10:25A</i>	<i>H<sub>2</sub>O</i>	<i>1</i>			<i>X</i>				<i>Temp Secchi 51.3 F 10'</i>	
2. <i>Bay 2 Beach</i>	<i>Bay 2</i>	<i>4/13/23</i>	<i>10:35A</i>	<i>H<sub>2</sub>O</i>	<i>1</i>			<i>X</i>				<i>51.3 F 10'</i>	
3.													
4.													
5.													
6.													
7.													
8.													
9.													
10.													

<b>Report Requirements</b> <input type="checkbox"/> I. Routine Report: Method Blank, Surrogate, as required <input type="checkbox"/> II. Report Dup., MS, MSD as required <input type="checkbox"/> III. CLP Like Summary (no raw data) <input type="checkbox"/> IV. Data Validation Report <input type="checkbox"/> V. EDD	<b>Invoice Information</b> P.O.# _____ Bill To: _____ _____	Circle which metals are to be analyzed Total Metals: Al As Sb Ba Be B Ca Cd Co Cr Cu Fe Pb Mg Mn Mo Ni K Ag Na Se Sr Ti Sn V Zn Hg Dissolved Metals: Al As Sb Ba Be B Ca Cd Co Cr Cu Fe Pb Mg Mn Mo Ni K Ag Na Se Sr Ti Sn V Zn Hg	
	<b>Turnaround Requirements</b> <input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 5 Day <input type="checkbox"/> Standard	Special Instructions/Comments: _____	<input type="checkbox"/> *Indicate State Hydrocarbon Procedure: AK CA WI Northwest Other _____ (Circle One)
	Requested Report Date _____		

<b>Relinquished By:</b> <i>Gary Oliver</i> Signature Printed Name Firm Date/Time	<b>Received By:</b> <i>K. Myklebust</i> Signature Printed Name Firm Date/Time	<b>Relinquished By:</b> <i>K. Myklebust</i> Signature Printed Name Firm Date/Time	<b>Received By:</b> <i>M. Mulligan</i> Signature Printed Name Firm Date/Time	<b>Relinquished By:</b> Signature Printed Name Firm Date/Time	<b>Received By:</b> Signature Printed Name Firm Date/Time
<i>City of Woodland</i> Date/Time: <i>4/13/23 11:07 AM</i>	<i>City of Woodland</i> Date/Time: <i>4/13/23 11:07 AM</i>	<i>City of Woodland</i> Date/Time: <i>4/13/23 3:17 PM</i>	<i>ALS</i> Date/Time: <i>4/13/23 1517</i>		

PM LB

### Cooler Receipt and Preservation Form

Client City of Woodland Service Request K23 04322  
Received: 4/13/23 Opened: 4/13/23 By: mm Unloaded: 4/13/23 By: mm

- 1. Samples were received via?  USPS  Fed Ex  UPS  DHL  PDX  Courier  Hand Delivered
- 2. Samples were received in: (circle)  Cooler  Box  Envelope  Other  NA
- 3. Were custody seals on coolers? NA  Y  N If yes, how many and where? 1 front  
If present, were custody seals intact?  Y  N If present, were they signed and dated?  Y  N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID / NA	Out of temp indicate with "X"	PM Notified If out of temp	Tracking Number NA	Filed
20.8	19.1	1201					

- 4. Was a Temperature Blank present in cooler? NA  Y  N If yes, note the temperature in the appropriate column above:  
If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
- 5. Were samples received within the method specified temperature ranges? NA  Y  N  
If no, were they received on ice and same day as collected? If not, notate the cooler # above and notify the PM. NA  Y  N
- If applicable, tissue samples were received: Frozen Partially Thawed Thawed
- 6. Packing material: Inserts Baggies  Bubble Wrap Gel Packs Wet Ice Dry Ice Sleeves
- 7. Were custody papers properly filled out (ink, signed, etc.)? NA  Y  N
- 8. Were samples received in good condition (unbroken) NA  Y  N
- 9. Were all sample labels complete (ie, analysis, preservation, etc.)? NA  Y  N
- 10. Did all sample labels and tags agree with custody papers? NA  Y  N
- 11. Were appropriate bottles/containers and volumes received for the tests indicated? NA  Y  N
- 12. Were the pH-preserved bottles (see SMO GEN SOP) received at the appropriate pH? Indicate in the table below NA  Y  N
- 13. Were VOA vials received without headspace? Indicate in the table below.  NA  Y  N
- 14. Was C12/Res negative?  NA  Y  N
- 15. Were samples received within the method specified time limit? If not, notate the error below and notify the PM  NA  Y  N
- 16. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark?  NA  Y  N Underfilled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count	Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: \_\_\_\_\_



## Miscellaneous Forms

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



### **Inorganic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.  
*DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

### **Metals Data Qualifiers**

- # The control limit criteria is not applicable.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.  
*DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.  
  - i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

### **Organic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.  
*DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.  
  - i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.

### **Additional Petroleum Hydrocarbon Specific Qualifiers**

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

**ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso  
State Certifications, Accreditations, and Licenses**

<b>Agency</b>	<b>Web Site</b>	<b>Number</b>
Alaska DEH	<a href="http://dec.alaska.gov/eh/lab/cs/csapproval.htm">http://dec.alaska.gov/eh/lab/cs/csapproval.htm</a>	UST-040
Arizona DHS	<a href="http://www.azdhs.gov/lab/license/env.htm">http://www.azdhs.gov/lab/license/env.htm</a>	AZ0339
Arkansas - DEQ	<a href="http://www.adeq.state.ar.us/techsvs/labcert.htm">http://www.adeq.state.ar.us/techsvs/labcert.htm</a>	88-0637
California DHS (ELAP)	<a href="http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx">http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx</a>	2795
DOD ELAP	<a href="http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm">http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm</a>	L16-58-R4
Florida DOH	<a href="http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm">http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm</a>	E87412
Hawaii DOH	<a href="http://health.hawaii.gov/">http://health.hawaii.gov/</a>	-
ISO 17025	<a href="http://www.pjllabs.com/">http://www.pjllabs.com/</a>	L16-57
Louisiana DEQ	<a href="http://www.deq.louisiana.gov/page/la-lab-accreditation">http://www.deq.louisiana.gov/page/la-lab-accreditation</a>	03016
Maine DHS	<a href="http://www.maine.gov/dhhs/">http://www.maine.gov/dhhs/</a>	WA01276
Minnesota DOH	<a href="http://www.health.state.mn.us/accreditation">http://www.health.state.mn.us/accreditation</a>	053-999-457
Nevada DEP	<a href="http://ndep.nv.gov/bsdw/labservice.htm">http://ndep.nv.gov/bsdw/labservice.htm</a>	WA01276
New Jersey DEP	<a href="http://www.nj.gov/dep/enforcement/oqa.html">http://www.nj.gov/dep/enforcement/oqa.html</a>	WA005
New York - DOH	<a href="https://www.wadsworth.org/regulatory/elap">https://www.wadsworth.org/regulatory/elap</a>	12060
North Carolina DEQ	<a href="https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification">https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification</a>	605
Oklahoma DEQ	<a href="http://www.deq.state.ok.us/CSDnew/labcert.htm">http://www.deq.state.ok.us/CSDnew/labcert.htm</a>	9801
Oregon – DEQ (NELAP)	<a href="http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx">http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx</a>	WA100010
South Carolina DHEC	<a href="http://www.scdhec.gov/environment/EnvironmentalLabCertification/">http://www.scdhec.gov/environment/EnvironmentalLabCertification/</a>	61002
Texas CEQ	<a href="http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html">http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html</a>	T104704427
Washington DOE	<a href="http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html">http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html</a>	C544
Wyoming (EPA Region 8)	<a href="https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water">https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water</a>	-
Kelso Laboratory Website	<a href="http://www.alsglobal.com">www.alsglobal.com</a>	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at [www.ALSGlobal.com](http://www.ALSGlobal.com) or at the accreditation bodies web site.

Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/analyte is offered by that state.

## Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

**ALS Group USA, Corp.**  
dba ALS Environmental

Analyst Summary report

**Client:** Woodland, City of  
**Project:** HSL Testing/Horseshoe Lake

**Service Request:** K2304322

**Sample Name:** Bouy 3 Mid Point  
**Lab Code:** K2304322-001  
**Sample Matrix:** Water

**Date Collected:** 04/13/23  
**Date Received:** 04/13/23

**Analysis Method**  
365.3

**Extracted/Digested By**  
JSANCHEZ

**Analyzed By**  
JSANCHEZ

**Sample Name:** Bouy 2 Beach  
**Lab Code:** K2304322-002  
**Sample Matrix:** Water

**Date Collected:** 04/13/23  
**Date Received:** 04/13/23

**Analysis Method**  
365.3

**Extracted/Digested By**  
JSANCHEZ

**Analyzed By**  
JSANCHEZ



# Sample Results

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



## General Chemistry

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Woodland, City of  
**Project:** HSL Testing/Horseshoe Lake  
**Sample Matrix:** Water  
**Sample Name:** Bouy 3 Mid Point  
**Lab Code:** K2304322-001

**Service Request:** K2304322  
**Date Collected:** 04/13/23 10:25  
**Date Received:** 04/13/23 15:17  
**Basis:** NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Phosphorus, Total	365.3	ND U	mg/L	0.020	1	04/18/23 16:41	04/18/23	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Woodland, City of  
**Project:** HSL Testing/Horseshoe Lake  
**Sample Matrix:** Water  
**Sample Name:** Bouy 2 Beach  
**Lab Code:** K2304322-002

**Service Request:** K2304322  
**Date Collected:** 04/13/23 10:35  
**Date Received:** 04/13/23 15:17  
**Basis:** NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Phosphorus, Total	365.3	ND U	mg/L	0.020	1	04/18/23 16:41	04/18/23	





## QC Summary Forms

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



## General Chemistry

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Woodland, City of  
**Project:** HSL Testing/Horseshoe Lake  
**Sample Matrix:** Water  
**Sample Name:** Method Blank  
**Lab Code:** K2304322-MB

**Service Request:** K2304322  
**Date Collected:** NA  
**Date Received:** NA  
**Basis:** NA

General Chemistry Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Phosphorus, Total	365.3	ND U	mg/L	0.020	1	04/18/23 16:41	